

Attachment 5
Numeric Effluent Limitations

**Water Quality-Based Effluent Limitations for Discharges
to Inland Waters, Enclosed Bays, and Estuaries**

CHEMICAL CONSTITUENTS - VOLATILE ORGANICS					
CTR #	Constituent	Units	Basis¹	Limit (Daily Maximum)	Analytical Method
28	1,1-Dichloroethane	µg/l	Primary MCL	5	USEPA8260B
30	1,1-Dichloroethene	µg/l	HH NTR	0.057	USEPA8260B
41	1,1,1-Trichloroethane	µg/l	Primary MCL	200	USEPA8260B
42	1,1,2-Trichloroethane	µg/l	HH NTR	0.6	USEPA8260B
37	1,1,2,2-Tetrachloroethane	µg/l	HH NTR	0.17	USEPA8260B
75	1,2-Dichlorobenzene	µg/l	HH CTR	2700	USEPA8260B
29	1,2-Dichloroethane	µg/l	HH NTR	0.38	USEPA8260B
	cis-1,2-Dichloroethene	µg/l	Primary MCL	6	USEPA8260B
31	1,2-Dichloropropane	µg/l	HH CTR	0.52	USEPA8260B
101	1,2,4-Trichlorobenzene	µg/l	HH CTR	None	USEPA8260B
76	1,3-Dichlorobenzene	µg/l	HH CTR	400	USEPA8260B
32	1,3-Dichloropropene	µg/l	Primary MCL	0.5	USEPA8260B
77	1,4-Dichlorobenzene	µg/l	Primary MCL	5	USEPA8260B
17	Acrolein	µg/l	HH CTR	320	USEPA8260B
18	Acrylonitrile	µg/l	HH NTR	0.059	USEPA8260B
19	Benzene	µg/l	Primary MCL	1	USEPA8260B
20	Bromoform	µg/l	HH CTR	4.3	USEPA8260B
34	Bromomethane	µg/l	HH CTR	48	USEPA8260B
21	Carbon tetrachloride	µg/l	HH NTR	0.25	USEPA8260B
22	Chlorobenzene (mono chlorobenzene)	µg/l	HH CTR	680	USEPA8260B
24	Chloroethane	µg/l	HH CTR	None	USEPA8260B
25	2- Chloroethyl vinyl ether	µg/l	HH CTR	None	USEPA8260B
26	Chloroform	µg/l	HH CTR	Reserved	USEPA8260B
35	Chloromethane	µg/l	HH CTR	None	USEPA8260B
23	Dibromochloromethane	µg/l	HH CTR	0.41	USEPA8260B
27	Dichlorobromomethane	µg/l	HH CTR	0.56	USEPA8260B
36	Dichloromethane	µg/l	HH CTR	4.7	USEPA8260B
33	Ethylbenzene	µg/l	HH CTR	3100	USEPA8260B
88	Hexachlorobenzene	µg/l	HH CTR	0.00075	USEPA8260B
89	Hexachlorobutadiene	µg/l	HH NTR	0.44	USEPA8260B
91	Hexachloroethane	µg/l	HH NTR	1.9	USEPA 8260B

Attachment 5
Numeric Effluent Limitations

CHEMICAL CONSTITUENTS - VOLATILE ORGANICS					
CTR #	Constituent	Units	Basis¹	Limit (Daily Maximum)	Analytical Method
94	Naphthalene	µg/l	HH CTR	None	USEPA8260B
38	Tetrachloroethene	µg/l	HH NTR	0.8	USEPA 8260B
39	Toluene	µg/l	Primary MCL	150	USEPA 8260B
40	trans-1,2-Dichloroethylene	µg/l	Primary MCL	10	USEPA 8260B
43	Trichloroethene	µg/l	HH NTR	2.7	USEPA 8260B
44	Vinyl chloride	µg/l	Primary MCL	0.5	USEPA 8260B
	Methyl-tert-butyl ether (MTBE)	µg/l	Secondary MCL	5	USEPA 8260B
	Trichlorofluoromethane	µg/l	Primary MCL	150	USEPA 8260B
	1,1,2-Trichloro-1,2,2-Trifluoroethane	µg/l	Primary MCL	1200	USEPA 8260B
	Styrene	µg/l	Primary MCL	100	USEPA 8260B
	Xylenes	µg/l	Primary MCL	1750	USEPA 8260B

CHEMICAL CONSTITUENTS - SEMI-VOLATILE ORGANICS					
CTR #	Constituent	Units	Basis¹	Limit (Daily Maximum)	Analytical Method
60	1,2-Benzanthracene	µg/l	HH CTR	0.0044	USEPA 8270C
85	1,2-Diphenylhydrazine	µg/l	HH NTR	0.04	USEPA 8270C
45	2-Chlorophenol	µg/l	HH CTR	120	USEPA 8270C
46	2,4-Dichlorophenol	µg/l	HH CTR	93	USEPA 8270C
47	2,4-Dimethylphenol	µg/l	HH CTR	540	USEPA 8270C
49	2,4-Dinitrophenol	µg/l	HH NTR	70	USEPA 8270C
82	2,4-Dinitrotoluene	µg/l	HH NTR	0.11	USEPA 8270C
55	2,4,6-Trichlorophenol	µg/l	HH CTR	2.1	USEPA 8270C
83	2,6-Dinitrotoluene	µg/l	HH CTR	None	USEPA8270C
50	2-Nitrophenol	µg/l	HH CTR	None	USEPA8270C
71	2-Chloronaphthalene	µg/l	HH CTR	1700	USEPA 8270C
78	3,3'-Dichlorobenzidine	µg/l	HH NTR	0.04	USEPA 8270C
62	3,4-Benzofluoranthene	µg/l	HH CTR	0.0044	USEPA 8270C
52	4-Chloro-3-methylphenol	µg/l	HH CTR	None	USEPA8270C
48	4,6-Dinitro-2-methylphenol	µg/l	HH NTR	13.4	USEPA 8270C
51	4-Nitrophenol	µg/l	HH CTR	None	USEPA8270C
69	4-Bromophenyl phenyl	µg/l	HH CTR	None	USEPA8270C

Attachment 5
Numeric Effluent Limitations

CHEMICAL CONSTITUENTS - SEMI-VOLATILE ORGANICS					
CTR #	Constituent	Units	Basis ¹	Limit (Daily Maximum)	Analytical Method
	ether				
72	4-Chlorophenyl phenyl ether	µg/l	HH CTR	None	USEPA8270C
56	Acenaphthene (PAH)	µg/l	HH CTR	1200	USEPA 8270C
57	Acenaphthylene (PAH)	µg/l	HH CTR	None	USEPA8270C
58	Anthracene (PAH)	µg/l	HH CTR	9,600	USEPA 8270C
59	Benzidine	µg/l	HH NTR	0.00012	USEPA 8270C
61	Benzo(a)pyrene (3,4-Benzopyrene) (PAH)	µg/l	HH CTR	0.0044	USEPA 8270C
63	Benzo(g,h,i)perylene (PAH)	µg/l	HH CTR	None	USEPA8270C
64	Benzo(k)fluoranthene (PAH)	µg/l	HH CTR	0.0044	USEPA 8270C
65	Bis(2-chloroethoxy) methane	µg/l	HH CTR	None	USEPA8270C
66	Bis(2-chloroethyl) ether	µg/l	HH NTR	0.031	USEPA 8270C
67	Bis(2-chloroisopropyl) ether	µg/l	HH CTR	1400	USEPA 8270C
68	Bis(2-ethylhexyl) phthalate	µg/l	HH NTR	1.8	USEPA 8270C
70	Butyl benzyl phthalate	µg/l	HH CTR	3000	USEPA 8270C
73	Chrysene (PAH)	µg/l	HH CTR	0.0044	USEPA 8270C
81	Di-n-butylphthalate	µg/l	HH CTR	2700	USEPA 8270C
84	Di-n-octylphthalate	µg/l	HH CTR	None	USEPA8270C
74	Dibenzo(a,h)-anthracene (PAH)	µg/l	HH CTR	0.0044	USEPA 8270C
79	Diethyl phthalate	µg/l	HH CTR	23000	USEPA 8270C
80	Dimethyl phthalate	µg/l	HH CTR	313000	USEPA 8270C
86	Fluoranthene (PAH)	µg/l	HH CTR	300	USEPA 8270C
87	Fluorene (PAH)	µg/l	HH CTR	1300	USEPA 8270C
90	Hexachlorocyclopentadiene	µg/l	HH CTR	240	USEPA 8270C
92	Indeno(1,2,3-c,d)pyrene (PAH)	µg/l	HH CTR	0.0044	USEPA 8270C
93	Isophorone	µg/l	HH NTR	8.4	USEPA 8270C
98	N-Nitrosodiphenylamine	µg/l	HH NTR	5	USEPA 8270C
96	N-Nitrosodimethylamine	µg/l	HH NTR	0.00069	USEPA 8270C
97	N-Nitrosodi-n-propylamine	µg/l	HH CTR	0.005	USEPA 8270C

Attachment 5
Numeric Effluent Limitations

CHEMICAL CONSTITUENTS - SEMI-VOLATILE ORGANICS					
CTR #	Constituent	Units	Basis ¹	Limit (Daily Maximum)	Analytical Method
95	Nitrobenzene	µg/l	HH NTR	17	USEPA 8270C
53	Pentachlorophenol	µg/l	Aquatic Toxicity	13	USEPA 8270C
99	Phenanthrene (PAH)	µg/l	HH CTR	None	
54	Phenol	µg/l	HH CTR	21000	USEPA 8270C
100	Pyrene (PAH)	µg/l	HH CTR	960	USEPA 8270C

CHEMICAL CONSTITUENTS - INORGANICS					
CTR #	Constituent	Units	Basis ¹	Limit (Daily Maximum)	Analytical Method
	Aluminum	µg/l	Freshwater Aquatic Toxicity	750	USEPA 6020/200.8
1	Antimony	µg/l	Primary MCL	6	USEPA 6020/200.8
2	Arsenic	µg/l	Primary MCL	10	USEPA 6020/200.8
15	Asbestos	MFL	HH NTR/ Primary MCL	7	USEPA/600/R-93/116(PCM)
	Barium	µg/l	Basin Plan Objective	100	USEPA 6020/200.8
3	Beryllium	µg/l	Primary MCL	4	USEPA 6020/200.8
			Freshwater Aquatic Toxicity CTR		
4	Cadmium	µg/l	Freshwater Aquatic Toxicity CTR	5.8 ²	USEPA 6020/200.8
5a	Chromium (total)	µg/l	Primary MCL	50	USEPA 6020/200.8
			Freshwater Aquatic Toxicity CTR		
5b	Chromium (VI)	µg/l	Freshwater Aquatic Toxicity CTR	16	USEPA 7199/1636
6	Copper	µg/l	Basin Plan Objective	10	USEPA 6020/200.8
			Freshwater Aquatic Toxicity CTR		
14	Cyanide	µg/l	Freshwater Aquatic Toxicity CTR	22	USEPA 9012A
			Secondary MCL/Basin Plan Objective		
	Iron	µg/l	Secondary MCL/Basin Plan Objective	300	USEPA 6020/200.8

Attachment 5
Numeric Effluent Limitations

CHEMICAL CONSTITUENTS – INORGANICS					
CTR #	Constituent	Units	Basis ¹	Limit (Daily Maximum)	Analytical Method
7	Lead	µg/l	Freshwater Aquatic Toxicity CTR	109 ²	USEPA 6020/200.8
8	Mercury	µg/l	HH CTR	0.050	USEPA 1631
	Manganese	µg/l	Secondary MCL/ Basin Plan Objective	50	USEPA 6020/200.8
9	Nickel	µg/l	Freshwater Aquatic Toxicity CTR	570 ²	USEPA 6020/200.8
10	Selenium	µg/l	Primary MCL	50	USEPA 6020/200.8
11	Silver	µg/l	Freshwater Aquatic Toxicity CTR	6 ²	USEPA 6020/200.8
12	Thallium	µg/l	HH NTR	1.7	USEPA 6020/200.8
	Tributyltin	µg/l	Freshwater Aquatic Toxicity	0.46	Standard Method 6710
13	Zinc	µg/l	Basin Plan Objective	100	USEPA 6020/200.8

OTHER CHEMICAL CONSTITUENTS					
CTR #	Constituent	Units	Basis ¹	Limit (Daily Maximum)	Analytical Method
	Ammonia (as N)	µg/l	SF Bay Basin Plan Objective	1,600	Standard Method 4500-NH ₃ -D or EPA 350.1 (Rev 2.0)
	Ammonia (as N)	µg/l	Freshwater Aquatic Toxicity	3200 ³	USEPA 350.1
	Chloride	µg/l	Agricultural Use	106,000	USEPA 300.0
	Foaming Agents (MBAS)	µg/l	Secondary MCL	500	SM5540C
	Nitrate (as N)	µg/l	Primary MCL	10,000	USEPA 300.0
	Nitrite (as N)	µg/l	Primary MCL	1000	USEPA 300.0

Attachment 5
Numeric Effluent Limitations

OTHER CHEMICAL CONSTITUENTS					
CTR #	Constituent	Units	Basis ¹	Limit (Daily Maximum)	Analytical Method
	pH	µg/l	Central Valley Basin Plan Objective	6.5-8.5	USEPA 150.1
	Specific conductance (EC)	µg/l	Agricultural Use	700 umhos/cm	USEPA 120.1
	Sulfate	µg/l	Secondary MCL	250,000	USEPA 300.0
	Total Dissolved Solids (TDS)	µg/l	Agricultural Use	450,000	USEPA 160.1

1. If the basis for the limitation is a primary or secondary MCL or a Human Health California Toxics Rule or Human Health National Toxics Rule (HH CTR or HH NTR), or agricultural use or a Freshwater toxicity objective, then this limitation only applies when the Vessel discharges in the Sacramento-San Joaquin Delta.
2. Freshwater aquatic life criteria for metals are expressed as a function of total hardness (mg/L) in the water body. Values displayed correspond to a total hardness of 125 mg/L, which is the applicable yearly average hardness in the Sacramento-San Joaquin Delta.
3. Freshwater acute aquatic life criteria for ammonia are expressed as a function of pH of the water body, in this case for the Sacramento-San Joaquin Delta, the worst case pH values allowed would be for a pH of 8.5.
4. For discharges to enclosed bays and estuaries, except for PAHs and solvents, the vessel owner or operator may submit a certification stating that the discharge does not contain specific volatile and semi-volatile organic constituents in lieu of monitoring for those constituents.
5. For waters exceeding 1000 mg/L dissolved solids must use either a matrix removal sample preparation step, or a matrix reduction process.

Attachment 6

ADDITIONAL MONITORING AND REPORTING REQUIREMENTS

In addition to the requirements of the VGP, the following monitoring and reporting is required per discharge type, but only if that discharge type occurs in State waters. As stated in Additional Condition 16 of the Enclosure, all monitoring results and reports must be sent to USEPA. Results reported in Attachments 7.1 and 7.2 must be submitted to the State Water Board. Results reported in Attachments 7.3 and 7.4 must be submitted to the State Lands Commission (SLC).

Table 6.a

Discharge	Monitoring and Reporting Conditions	Notes
1. Deck Washdown & Runoff	Effluent sampling and analysis for all Attachment 5 chemical, physical, and toxicity constituents.	A, C
2. Bilgewater/Oily Water separator effluent	Effluent sampling and analysis for all Attachment 5 bacterial, chemical, toxicity, and physical constituents.	A, B
3. Ballast Water	Effluent sampling and analysis for all Attachment 5 bacterial, chemical, toxicity, and physical constituents. All vessels, regardless of whether ballast was discharged, must also submit a completed Ballast Water Reporting Form (Attachment 7.4) to SLC upon departure from each port or place in California waters.	A, C
4. Anti-fouling Leachate from Anti-Fouling Coatings/Hull Coating Leachate	Report the type of hull coating, (including the active ingredients) in use to the State Water Board. Also all vessels must submit annually a completed Hull Husbandry Reporting Form (Attachment 7.4) to SLC regardless of whether discharges occur or not.	A
5. Aqueous Film Forming Foam	Effluent sampling and analysis for all Attachment 5 chemical, toxicity, and physical constituents.	A, C
6. Boiler/Economizer Blowdown	Effluent sampling and analysis for all Attachment 5 chemical, toxicity, and physical constituents.	A
7. Cathodic Protection	Report the number and types of cathodic protection devices used on the vessel.	A

Attachment 6
Sampling and Monitoring Requirements

Discharge	Monitoring and Reporting Conditions	Notes
8. Chain Locker Effluent	Effluent sampling and analysis for all Attachment 5 chemical, toxicity, and physical constituents.	A, C
9. Propeller Hydraulic Fluid	Report any maintenance or release of fluids in State waters. If a liquid release occurs, sample and analyze receiving water for oil and grease.	A
10. Distillation and Reverse Osmosis Brine	Effluent sampling and analysis for all Attachment 5 chemical and toxicity constituents.	A
11. Elevator Pit Effluent	Effluent sampling and analysis for all Attachment 5 chemical, toxicity, and physical constituents.	A
12. Firemain Systems	Effluent sampling and analysis for all Attachment 5 chemical and toxicity constituents.	A, B
13. Freshwater Layup	Effluent sampling and analysis for all Attachment 5 chemical and toxicity constituents.	A
14. Gas Turbine Wash Water	Effluent sampling and analysis for all Attachment 5 chemical, toxicity, and physical constituents.	A
15. Graywater	Effluent sampling and analysis for all Attachment 6 bacterial, chemical, toxicity, and physical constituents.	A, B
16. Motor Gasoline & Compensating Discharge	Effluent sampling and analysis for all Attachment 5 chemical, toxicity, and physical constituents.	A
17. Non-Oily Machinery Wastewater	Effluent sampling and analysis for all Attachment 5 chemical, toxicity, and physical constituents.	A
18. Refrigeration/Air Condensate	Effluent sampling and analysis for all Attachment 5 chemical and toxicity constituents.	A
19. Rudder Bearing Lubrication Discharge	Report any maintenance or release of fluids in state waters. If a liquid release occurs, sample and analyze receiving water for oil and grease.	A
20. Seawater Cooling Overboard Discharge	Effluent sampling and analysis for all Attachment 5 chemical and toxicity constituents.	A, C
21. Seawater Piping Biofouling Discharge	Effluent sampling and analysis for all Attachment 5 bacterial, chemical, toxicity, and physical constituents.	A, C

Attachment 6
Sampling and Monitoring Requirements

Discharge	Monitoring and Reporting Conditions	Notes
22. Small Boat Engine Wet Exhaust	Effluent sampling and analysis for all Attachment 5 chemical, toxicity, and physical constituents.	A
23. Sonar Dome Discharge	Report coating (including the active ingredients) in use: report any maintenance or release of fluids in State waters.	A
24. Stern Tube Oily Discharge	Report any maintenance or release of fluids in State waters. If a liquid release occurs, sample and analyze receiving water for oil and grease.	A
25. Underwater Ship Husbandry Discharge	Any prohibited in-water cleaning must be reported to the State Water Board. Also, submit annually a Hull Husbandry Reporting Form to SLC.	A, C
26. Weldeck Discharges	Effluent sampling and analysis for all Attachment 5 chemical, toxicity, and physical constituents.	A
27. Graywater Mixed With Sewage	Effluent sampling and analysis for all Attachment 5 bacterial, chemical, toxicity, and physical constituents.	A, B
28. Exhaust Gas Scrubber Washwater Discharge	Effluent sampling and analysis for all Attachment 5 chemical, toxicity, and physical constituents.	A

Notes

A: Wat. Code; Statewide and Regional Water Quality Control Plans & Policies

B: Pub. Resources Code, § 72400 et seq.

C: Pub. Resources Code, § 71200 et seq.

Sampling Requirements

Samples for chemical analysis should be collected, preserved, handled, and transported in accordance with Standard Methods for the Examination of Water and Wastewater, 1998 (Standard Methods) and the Code of Federal Regulations (CFR) in 40 CFR Part 136. Analysis for chemical constituents should be performed in accordance with the methods and minimum levels (the lowest concentrations that can be quantified given laboratory performance capabilities) described in Appendix II, of the Ocean Plan, and according to 40 CFR Part 136 or Standard Methods where appropriate (see Attachment 5). All analytical tests performed in California, including toxicity, must be conducted by a laboratory approved under the California Department of Public Health Environmental Laboratory Accreditation Program.

Attachment 6
Sampling and Monitoring Requirements

If bacteria samples are collected when the ship is underway, the allowable holding time may be exceeded provided that the samples are refrigerated but not frozen until they reach a laboratory for testing.

Aquatic Toxicity Procedures

California has specific objectives for acute and chronic toxicity as described in the 2005 Ocean Plan. Toxicity is measured in acute and chronic toxicity units. Acute toxicity units (TUa) are the inverse of the laboratory endpoint "Lethal Concentration 50%" (LC50), the percent of the waste giving 50 percent survival of test organisms. Chronic toxicity units (TUc) are the inverse of the laboratory endpoint "No Observed Effects Level" (NOEL), the maximum percent of the effluent that causes no observed effect on test organisms.

Acute toxicity methods should be in accordance with USEPA approved protocols as provided in 40 CFR Part 136. At least one marine species and one freshwater species should be tested. The table below provides species and test methods that may be used for acute toxicity tests.

Table 6.b - Acute Toxicity Test Methods

Marine Water		
USEPA Method	Species	Water
2007.0	Mysid, <i>Mysidopsis bahia</i>	Marine
2004.0	Sheepshead Minnow, <i>Cyprinodon variegatus</i>	Marine
2006.0	Silverside, <i>Menidia beryllina</i> , <i>Menidia menidia</i> , and <i>Menidia peninsulæ</i>	Marine

Freshwater		
USEPA Method	Species	Water
2002.0	Water flea, <i>Ceriodaphnia dubia</i>	Fresh
2021.0	Water flea, <i>Daphnia pulex</i> and <i>Daphnia magna</i>	Fresh
2000.0	Fathead Minnow, <i>Pimephales promelas</i> , and Bannerfin shiner, <i>Cyprinella leedsi</i>	Fresh
2019.0	Rainbow Trout, <i>Oncorhynchus mykiss</i> , and brook trout, <i>Salvelinus fontinalis</i>	Fresh

Monitoring for chronic toxicity for seawater under the Ocean Plan and for waters included under the Policy for Implementation of Toxics Standards for Inland Surface Waters, Enclosed Bays, and Estuaries of California (SIP) requires the use of critical life stage toxicity tests as specified in the table below. For marine waters, a minimum of three marine test species with approved test protocols shall be used to measure

Attachment 6
Sampling and Monitoring Requirements

compliance with the toxicity objective. If possible, the test species shall include a fish, an invertebrate, and an aquatic plant.

Table 6.c - Chronic Toxicity Test Methods – Marine Water

Species	Effect	Tier	Reference
Giant kelp, <i>Macrocystis pyrifera</i>	Percent germination; germ tube length	1	Chapman et al. 1995 State Water Board, 1996
Red abalone, <i>Haliotis rufescens</i>	Abnormal shell development	1	Chapman et al. 1995 State Water Board, 1996
Oyster, <i>Crassostrea gigas</i> ; mussels, <i>Mytilus spp</i>	Abnormal shell development; percent survival	1	Chapman et al. 1995 State Water Board, 1996
Urchin, <i>Strongylocentrotus purpuratus</i> ; sand dollar, <i>Dendraster excentricus</i>	Percent normal development	1	Chapman et al. 1995 State Water Board, 1996
Urchin, <i>Strongylocentrotus purpuratus</i> ; sand dollar, <i>Dendraster excentricus</i>	Percent fertilization	1	Chapman et al. 1995 State Water Board, 1996
mysid, <i>Holmesimysis costata</i>	Percent survival; growth	1	Chapman et al. 1995 State Water Board, 1996
mysid, <i>Mysidopsis bahia</i>	Percent survival; growth; fecundity	2	Klemm et al. 1994 Weber et al. 1988
topsmelt, <i>Atherinops affinis</i>	Larval growth rate; percent survival	1	Chapman et al. 1995 State Water Board, 1996
Silversides, <i>Menidia beryllina</i>	Larval growth rate; percent survival	2	Klemm et al. 1994 Weber et al. 1988

Table Note - The first tier test methods are the preferred toxicity tests for compliance monitoring. A second tier test method may be used, if after contacting California certified laboratories, first tier organisms are not available.

Attachment 6
Sampling and Monitoring Requirements

Testing for chronic toxicity in freshwater should also be performed, since there are inland ports in California such as the Port of Stockton and the Port of Sacramento. According to the SIP, at least one of the tests in Table 6.d should be conducted.

Table 6.d - Chronic Toxicity Test Methods – Fresh Water

USEPA Method	Species	Effect	Test duration
1000.0	Fathead Minnow (<i>Pimephales promelas</i>)	Larval survival and growth	7 days
1002.0	Water Flea (<i>Ceriodaphnia dubia</i>)	Survival and reproduction	6 to 8 days
1003.0	Alga (<i>Selenastrum capricornutum</i>)	Growth	4 days

Toxicity Test Reference: U.S. EPA. 1994. Short-term methods for estimating the chronic toxicity of effluents and receiving waters to freshwater organisms. Third edition. U.S. USEPA Environmental Monitoring Systems Laboratory, Cincinnati, Ohio. EPA/600/4-91-002

Attachment 7
Vessel Discharge Reporting Forms

7.1 – State Water Board Discharge Type Reporting Form (Required for each port visit or discharge in state waters)						
Vessel Name: Location: Date:						
Discharge Type	Discharge occurred		Flow (gpd)	Appendix E Monitoring Conducted		Discharge exceeded Attachment 5 limitations (list the constituents). If not, write "in compliance."
	Yes	No		Yes	No	
Deck Washdown & Runoff						
Bilgewater/Oily Water separator effluent						
Ballast Water						
Anti-fouling Leachate From Anti-Fouling Coatings/ Hull Coating Leachate.						
Aqueous Film Forming Foam						
Boiler/Economizer Blowdown						
Cathodic Protection						
Chain Locker Effluent						
Propeller Hydraulic Fluid						
Distillation and Reverse Osmosis Brine						
Elevator Pit Effluent						
Firemain Systems						
Freshwater Layup						
Gas Turbine Wash Water						
Graywater						
Motor Gasoline & Compensating Discharge						
Non-Oily Machinery Wastewater						
Refrigeration/Air Condensate						
Rudder Bearing Lubrication Discharge						
Seawater Cooling Overboard Discharge						
Seawater Piping Biofouling Discharge						

Attachment 7
Vessel Discharge Reporting Forms

7.1 – State Water Board Discharge Type Reporting Form
(Required for each port visit or discharge in state waters)

Vessel Name:

Location:

Date:

Discharge Type	Discharge occurred		Flow (gpd)	Appendix E Monitoring Conducted		Discharge exceeded Attachment 5 limitations (list the constituents). If not, write "in compliance."
	Yes	No		Yes	No	
Small Boat Engine Wet Exhaust						
Stern Tube Oily Discharge						
Sonar Dome Discharge						
Underwater Ship Husbandry Discharge						
Welldeck Discharges						
Graywater Mixed With Sewage						
Exhaust Gas Scrubber Washwater Discharge						

7.2 – State Water Board Constituent Type Monitoring Form
(Required for each port visit or discharge in state waters)

Vessel Name:

Location:

Date:

VOLATILE ORGANIC COMPOUNDS

Constituent	Units	Limit (Daily Maximum) - Inland, Bays, Estuaries	Limit (Daily Maximum) - Ocean	Lab Result	Comments
1,1-Dichloroethane	µg/l	5			
1,1-Dichloroethene	µg/l	0.057			
1,1,1-Trichloroethane	µg/l	200			
1,1,2-Trichloroethane	µg/l	0.6			
1,1,2,2-Tetrachloroethane	µg/l	0.17			
1,2-Dichlorobenzene	µg/l	2700			
1,2-Dichloroethane	µg/l	0.38			

Attachment 7
Vessel Discharge Reporting Forms

7.2 – State Water Board Constituent Type Monitoring Form
(Required for each port visit or discharge in state waters)

Vessel Name:

Location:

Date:

VOLATILE ORGANIC COMPOUNDS

Constituent	Units	Limit (Daily Maximum) - Inland, Bays, Estuaries	Limit (Daily Maximum) - Ocean	Lab Result	Comments
cis-1,2-Dichloroethene	µg/l	6			
1,2-Dichloropropane	µg/l	0.52			
1,2,4-Trichlorobenzene	µg/l	None			
1,3-Dichlorobenzene	µg/l	400			
1,3-Dichloropropene	µg/l	0.5			
1,4-Dichlorobenzene	µg/l	5			
Acrolein	µg/l	320			
Acrylonitrile	µg/l	0.059			
Benzene	µg/l	1			
Bromoform	µg/l	4.3			
Bromomethane	µg/l	48			
Carbon tetrachloride	µg/l	0.25			
Chlorobenzene (mono chlorobenzene)	µg/l	680			
Chloroethane	µg/l	None			
2- Chloroethyl-vinyl ether	µg/l	None			
Chloroform	µg/l	Reserved			
Chloromethane	µg/l	None			
Dibromochloromethane	µg/l	0.41			
Dichlorobromomethane	µg/l	0.56			
Dichloromethane	µg/l	4.7			
Ethylbenzene	µg/l	3100			
Hexachlorobenzene	µg/l	0.00075			
Hexachlorobutadiene	µg/l	0.44			
Hexachloroethane	µg/l	1.9			
Naphthalene	µg/l	None			
Tetrachloroethene	µg/l	0.8			
Toluene	µg/l	150			
trans-1,2-	µg/l	10			

Attachment 7
Vessel Discharge Reporting Forms

7.2 – State Water Board Constituent Type Monitoring Form
(Required for each port visit or discharge in state waters)

Vessel Name:

Location:

Date:

VOLATILE ORGANIC COMPOUNDS

Constituent	Units	Limit (Daily Maximum) - Inland, Bays, Estuaries	Limit (Daily Maximum) - Ocean	Lab Result	Comments
Dichloroethylene					
Trichloroethene	µg/l	2.7			
Vinyl chloride	µg/l	0.5			
Methyl-tert-butyl ether (MTBE)	µg/l	5			
Trichlorofluoromethane	µg/l	150			
1,1,2-Trichloro-1,2,2- Trifluoroethane	µg/l	1200			
Styrene	µg/l	100			
Xylenes	µg/l	1750			

7.2 – State Water Board Constituent Type Monitoring Form
(Required for each port visit or discharge in state waters)

Vessel Name:

Location:

Date:

SEMI – VOLATILE ORGANIC COMPOUNDS

Constituent	Unit	Limit (Daily Maximum) - Inland, Bays, Estuaries	Limit (Daily Maximum) - Ocean	Lab Result	Comment
1,2-Benzanthracene	µg/l	0.0044			
1,2-Diphenylhydrazine	µg/l	0.04			
2-Chlorophenol	µg/l	120			
2,4-Dichlorophenol	µg/l	93			
2,4-Dimethylphenol	µg/l	540			
2,4-Dinitrophenol	µg/l	70			
2,4-Dinitrotoluene	µg/l	0.11			
2,4,6-Trichlorophenol	µg/l	2.1			

Attachment 7
Vessel Discharge Reporting Forms

7.2 – State Water Board Constituent Type Monitoring Form
(Required for each port visit or discharge in state waters)

Vessel Name:

Location:

Date:

SEMI – VOLATILE ORGANIC COMPOUNDS

Constituent	Unit	Limit (Daily Maximum) - Inland, Bays, Estuaries	Limit (Daily Maximum) - Ocean	Lab Result	Comment
2,6-Dinitrotoluene	µg/l	None			
2-Nitrophenol	µg/l	None			
2-Chloronaphthalene	µg/l	1700			
3,3'-Dichlorobenzidine	µg/l	0.04			
3,4-Benzofluoranthene	µg/l	0.0044			
4-Chloro-3-methylphenol	µg/l	None			
4,6-Dinitro-2-methylphenol	µg/l	13.4			
4-Nitrophenol	µg/l	None			
4-Bromophenyl phenyl ether	µg/l	None			
4-Chlorophenyl phenyl ether	µg/l	None			
Acenaphthene	µg/l	1200			
Acenaphthylene	µg/l	None			
Anthracene	µg/l	9,600			
Benzidine	µg/l	0.00012			
Benzo(a)pyrene (3,4-Benzopyrene)	µg/l	0.0044			
Benzo(g,h,i)perylene	µg/l	None			
Benzo(k)fluoranthene	µg/l	0.0044			
Bis(2-chloroethoxy) methane	µg/l	None			
Bis(2-chloroethyl) ether	µg/l	0.031			
Bis(2-chloroisopropyl) ether	µg/l	1400			
Bis(2-ethylhexyl) phthalate	µg/l	1.8			
Butyl benzyl phthalate	µg/l	3000			
Chrysene	µg/l	0.0044			
Di-n-butylphthalate	µg/l	2700			

Attachment 7
Vessel Discharge Reporting Forms

7.2 – State Water Board Constituent Type Monitoring Form
(Required for each port visit or discharge in state waters)

Vessel Name:

Location:

Date:

SEMI – VOLATILE ORGANIC COMPOUNDS

Constituent	Unit	Limit (Daily Maximum) - Inland, Bays, Estuaries	Limit (Daily Maximum) - Ocean	Lab Result	Comment
Di-n-octylphthalate	µg/l	None			
Dibenzo(a,h)-anthracene	µg/l	0.0044			
Diethyl phthalate	µg/l	23000			
Dimethyl phthalate	µg/l	313000			
Fluoranthene	µg/l	300			
Fluorene	µg/l	1300			
Hexachlorocyclopentadiene	µg/l	240			
Indeno(1,2,3-c,d)pyrene	µg/l	0.0044			
Isophorone	µg/l	8.4			
N-Nitrosodiphenylamine	µg/l	5			
N-Nitrosodimethylamine	µg/l	0.00069			
N-Nitrosodi-n-propylamine	µg/l	0.005			
Nitrobenzene	µg/l	17			
Pentachlorophenol	µg/l	0.28			
Phenanthrene	µg/l	None			
Phenol	µg/l	21000			
Pyrene	µg/l	960			

Attachment 7
Vessel Discharge Reporting Forms

7.2 – State Water Board Constituent Type Monitoring Form
(Required for each port visit or discharge in state waters)

Vessel Name:

Location:

Date:

INORGANIC COMPOUNDS

Constituent	Unit	Limit (Daily Maximum) - Inland, Bays, Estuaries	Limit (Daily Maximum) - Ocean	Lab Result	Comment
Aluminum	µg/l	750			
Antimony	µg/l	6			
Arsenic	µg/l	10	32		
Asbestos	MFL	7			
Barium	µg/l	100			
Beryllium	µg/l	4			
Cadmium	µg/l	5.8	4		
Chromium (total)	µg/l	50			
Chromium (VI)	µg/l	16	8		
Copper	µg/l	10	12		
Cyanide	µg/l	5.2	4		
Iron	µg/l	300			
Lead	µg/l	109 (2)	8		
Mercury	µg/l	0.050	0.16		
Manganese	µg/l	50			
Nickel	µg/l	570 (2)	20		
Selenium	µg/l	50	60		
Silver	µg/l	6 (2)	2.8		
Thallium	µg/l	1.7			
Tributyltin	µg/l	0.46	<0.0014 (ND)		
Zinc	µg/l	100	80		

Attachment 7
Vessel Discharge Reporting Forms

7.2 – State Water Board Constituent Type Monitoring Form
(Required for each port visit or discharge in state waters)

Vessel Name:

Location:

Date:

OTHER CONSTITUENTS

Constituent	Unit	Limit (Daily Maximum) - Inland, Bays, Estuaries	Limit (Daily Maximum) - Ocean	Lab Result	Comment
Ammonia (as N)	µg/l	3200 (3)	0.16		
Chloride	µg/l	106,000			
Total Chlorine Residual	µg/l		8		
Phenolic Compounds (non-chlorinated)	µg/l		120		
Chlorinated Phenolics	µg/l		4		
Endosulfan	µg/l		0.018		
Endrin	µg/l		0.004		
Foaming Agents (MBAS)	µg/l	500			
Halomethanes	µg/l		130		
Hexachlorocyclohexane	µg/l		0.008		
Nitrate (as N)	µg/l	10,000			
Nitrite (as N)	µg/l	1000			
PAHs	µg/l		0.0088		
pH	µg/l	6.5-8.5	6.0-9.0 (ph units)		
Oil and Grease	mg/l		15		
Specific conductance (EC)	µg/l	700 umhos/cm			
Sulfate	µg/l	250,000			
Tetrachloroethylene			2.0		
Total Dissolved Solids (TDS)	µg/l	450,000			
Turbidity	NTU		225		
Suspended Solids	mg/l		60		
Settleable Solids	ml/l		3		
Acute Toxicity	TUa		0.3		
Chronic Toxicity	TUc		1.0		

Attachment 7
Vessel Discharge Reporting Forms

7.2 – State Water Board Constituent Type Monitoring Form
(Required for each port visit or discharge in state waters)

Vessel Name:

Location:

Date:

OTHER CONSTITUENTS

Constituent	Unit	Limit (Daily Maximum) - Inland, Bays, Estuaries	Limit (Daily Maximum) - Ocean	Lab Result	Comment
Total Coliform Bacteria	CFU or MPN per 100ml		10,000/100 ml		
Fecal Coliform Bacteria	CFU or MPN per 100ml		400/100 ml		
Enterococcus Bacteria	CFU or MPN per 100ml		104/100 ml		

Attachment 7
Vessel Discharge Reporting Forms

7.3 – California State Lands Commission
Marine Invasive Species Program
Hull Husbandry Reporting Form
Public Resources Code – 71205(e) and 71205(f)
June 6, 2008
Part I: Reporting Form

Vessel Name:
Official / IMO Number:
Responsible Officer's Name and Title:
Date Submitted (Day/Month/Year):

Hull Husbandry Information

1. Since delivery, has this vessel ever been removed from the water for maintenance?
Yes ☐ No ☐

a. If Yes, enter the date and location of the most recent out-of-water maintenance:

Last date out of water (Day/Month/Year):	
Port or Position:	Country:

b. If No, enter the delivery date and location where the vessel was built:

Delivery date (Day/Month/Year):	
Port or Position:	Country:

2. Were the submerged portions of the vessel coated with an anti-fouling treatment or coating during the **out-of-water** maintenance or shipbuilding process listed above?

Yes, full coat applied <input type="checkbox"/>	
Yes, partial coat <input type="checkbox"/>	Date last full coat applied (Day/Month/Year)
No coat applied <input type="checkbox"/>	Date last full coat applied (Day/Month/Year)

3. For the most recent **full coat** application of anti-fouling treatment, what type of anti-fouling treatment was applied and to which specific **sections** of the submerged portion of the vessel was it applied?

Manufacturer/Company:	
Product Name:	
Applied on (Check all that apply): Hull Sides <input type="checkbox"/> Hull Bottom <input type="checkbox"/> Sea Chests <input type="checkbox"/> Sea Chest Gratings <input type="checkbox"/> Propeller <input type="checkbox"/> Rope Guard/Propeller Shaft <input type="checkbox"/> Previous Docking Blocks <input type="checkbox"/> Thrusters <input type="checkbox"/> Rudder <input type="checkbox"/> Bilge Keels <input type="checkbox"/>	

Manufacturer/Company:

Attachment 7
Vessel Discharge Reporting Forms

Product Name: _____

Applied on (**Check all that apply**): Hull Sides ☐ Hull Bottom ☐ Sea Chests ☐ Sea
Chest Gratings ☐ Propeller ☐ Rope Guard/Propeller Shaft ☐
Previous Docking Blocks ☐ Thrusters ☐ Rudder ☐ Bilge Keels ☐

Official / IMO Number: _____

Manufacturer/Company: _____

Product Name: _____

Applied on (**Check all that apply**): Hull Sides ☐ Hull Bottom ☐ Sea Chests ☐ Sea
Chest Gratings ☐ Propeller ☐ Rope Guard/Propeller Shaft ☐
Previous Docking Blocks ☐ Thrusters ☐ Rudder ☐ Bilge Keels ☐

4. Were the sea chests inspected and/or cleaned during the **out-of-water** maintenance listed above? If no out-of-water maintenance since delivery, select **Not Applicable**. **Check all that apply**.

Yes, sea chests inspected ☐ Yes, sea chests cleaned ☐
No, sea chests not inspected or cleaned ☐ Not Applicable ☐

5. Are Marine Growth Protection Systems (MGPS) installed in the sea chests?

Yes <input type="checkbox"/>	Manufacturer: _____	Model: _____
No <input type="checkbox"/>		

6. Has the vessel undergone **in-water** cleaning to the submerged portions of the vessel since the last out-of-water maintenance period? Yes ☐ No ☐

a. If Yes, when and where did the vessel most recently undergo **in-water** cleaning (Do not include cleaning performed during out-of-water maintenance period)?

Date (Day/Month/Year): _____

Port or Position: _____ Country: _____

Vendor providing cleaning service: _____

Section(s) cleaned (**Check all that apply**):

Hull Sides ☐ Hull Bottom ☐ Propeller ☐ Sea Chest Grating ☐
Sea Chest ☐ Bilge Keels ☐ Rudder ☐ Docking Blocks ☐
Thrusters ☐ Unknown ☐

Cleaning method: Divers ☐ Robotic ☐ Both ☐

7. Has the propeller been polished since the last **out-of-water** maintenance (including shipbuilding process) or **in-water** cleaning?

Yes ☐ Date of propeller polishing (Day/Month/Year): _____

No ☐

Attachment 7
Vessel Discharge Reporting Forms

8. Are the anchor and anchor chains rinsed during retrieval? Yes ☐ No ☐

Voyage Information

9. List the following information for this vessel averaged over the last four months:

a. Average Voyage Speed (knots):		
b. Average Port Residency Time (hours or days):	Hours	or Days
Official / IMO Number: _____		

10. Since the hull was last cleaned (**out-of-water** or **in-water**), has the vessel visited:

a. Fresh water ports (Specific gravity of less than 1.005)?

Yes <input type="checkbox"/>	How many times?
No <input type="checkbox"/>	

b. Tropical ports (between 23.5° S and 23.5° N latitude)?

Yes <input type="checkbox"/>	How many times?
No <input type="checkbox"/>	

c. Panama Canal?

Yes <input type="checkbox"/>	How many times?
No <input type="checkbox"/>	

d. List the previous 10 ports visited by this vessel in the order they were visited (start with most recent). Note: If the vessel visits the same ports on a regular route, check here ☐ and list the route once (you do not have to use all 10 spaces if the route involves less than 10 ports; add more lines if regular route involves more than 10 ports). **List dates as (Day/Month/Year).**

Port or Position:	Country:
Arrival date:	Departure date:
Port or Position:	Country:
Arrival date:	Departure date:
Port or Position:	Country:
Arrival date:	Departure date:
Port or Position:	Country:
Arrival date:	Departure date:
Port or Position:	Country:
Arrival date:	Departure date:
Port or Position:	Country:
Arrival date:	Departure date:

Attachment 7
Vessel Discharge Reporting Forms

Port or Position: _____	Country: _____
Arrival date: _____	Departure date: _____

Port or Position: _____	Country: _____
Arrival date: _____	Departure date: _____

Port or Position: _____	Country: _____
Arrival date: _____	Departure date: _____

Port or Position: _____	Country: _____
Arrival date: _____	Departure date: _____

Official / IMO Number: _____

11. Since the **most recent** hull cleaning (out-of-water or in-water) or delivery, has the vessel spent 10 or more consecutive days in any single location (Do not include time out-of-water or during in-water cleaning).

No ☐ List the longest amount of time spent in a single location since the last hull cleaning:

Number of Days: _____	Date of Arrival (Day/Month/Year): _____
Port or Position: _____	Country: _____

Yes ☐ List all of the occurrences where the vessel spent 10 or more consecutive days in any single location since the last hull cleaning.

Attachment 7
Vessel Discharge Reporting Forms

Number of Days:	Date of Arrival (Day/Month/Year):
Port or Position:	Country:
Number of Days:	Date of Arrival (Day/Month/Year):
Port or Position:	Country:
Number of Days:	Date of Arrival (Day/Month/Year):
Port or Position:	Country:
Number of Days:	Date of Arrival (Day/Month/Year):
Port or Position:	Country:
Number of Days:	Date of Arrival (Day/Month/Year):
Port or Position:	Country:
Number of Days:	Date of Arrival (Day/Month/Year):
Port or Position:	Country:
Number of Days:	Date of Arrival (Day/Month/Year):
Port or Position:	Country:
Number of Days:	Date of Arrival (Day/Month/Year):
Port or Position:	Country:
Number of Days:	Date of Arrival (Day/Month/Year):
Port or Position:	Country:

Attachment 7
Vessel Discharge Reporting Forms

**California State Lands Commission
Marine Invasive Species Program
Hull Husbandry Reporting Form**
Public Resources Code – 71205(e) and 71205(f)
June 6, 2008

Part II: Supplementary Instructions for Completing Reporting Form

TEXT OF MODIFIED REGULATIONS

The Commission has illustrated changes to the original text noticed to the public in the following manner: deletions from the language originally proposed are indicated using double-strikeout; and additions to the language originally proposed are double-underlined. Note: A change was only made to the directly following statement, and was required to allow for the sole comment received during the 45-day comment period. No other changes were made to the instructions.

7.3 – Hull Husbandry Reporting Form

(Submit annually within 60 days of receiving a written or electronic request from the California State Lands Commission)

SUBMIT THE COMPLETED FORM TO:

California State Lands Commission

Marine Facilities Division
200 Oceangate, Suite 900
Long Beach, CA 90802
FAX: 562-499-6444
Email: bwform@slc.ca.gov

Hull Husbandry Information

Question 1: Check the appropriate box to indicate whether, since delivery, the vessel has ever been removed from the water for maintenance.

- If Yes was selected, enter the date (Day/Month/Year) and location for the most recent out-of-water maintenance period (for example, if vessel was out of water for dry-dock from January 1-10, list January 10 as the last date out of water).
- If No was selected, enter the vessel's delivery date (Day/Month/Year) and the location where the vessel was built.

Question 2: Check the appropriate box to indicate whether the vessel's hull was coated with an anti-fouling treatment/coating during the out-of-water maintenance period or shipbuilding process described in Question 1.

- If "Yes, full coat applied" was selected, move on to Question 3.
- If "Yes, partial coat" was selected, list completion date (Day/Month/Year) of most recent full coat application of an anti-fouling treatment/coating.

Attachment 7
Vessel Discharge Reporting Forms

- If "No coat applied" was selected, list completion date (Day/Month/Year) of most recent full coat application of an anti-fouling treatment/coating.

Question 3: For the most recent full coat application of anti-fouling treatment/coating, list the manufacturer(s)/company(ies) and product names of the treatment(s)/coating(s) and check the box next to the specific section(s) of the submerged portions of the vessel where each treatment was applied (check all sections that apply). List information for each anti-fouling treatment/coating if more than one was applied. Attach additional pages if necessary.

Question 4: Check the appropriate box to indicate whether the sea chest(s) were inspected and/or cleaned during the most recent out-of-water maintenance period described in Question 1. If no out-of-water maintenance since delivery, check Not Applicable.

Question 5: Marine Growth Protection Systems are systems installed in the sea chests to prevent the accumulation of fouling organisms within the sea chests and associated seawater circulation networks. Check the appropriate box to indicate if a Marine Growth Protection System is installed in the sea chest(s).

- If Yes was selected, list the Manufacturer and Model.

Question 6: Check the appropriate box to indicate if the vessel has undergone **in-water** cleaning on the submerged portions of the vessel since the last out-of-water maintenance period. **In-water** cleaning does not include cleaning carried out during out-of-water maintenance but does include cleaning carried out during the Underwater Inspection in Lieu of Dry-Docking (UWILD). For this question, out-of-water maintenance includes the shipbuilding process.

- If Yes was selected, answer Question 6a.
- If No was selected, move on to Question 7.

Question 6a: List date (Day/Month/Year) and location of most recent in-water cleaning (do not include cleaning performed during out-of-water maintenance period) as well as the vendor that conducted the in-water cleaning. Check the box next to the appropriate sections to indicate those sections of the vessel that were cleaned during the in-water cleaning described in Question 6. Indicate whether in-water cleaning was conducted by divers, a robotic system, or both.

Question 7: Check the appropriate box to indicate whether the propeller has been polished since the most recent out-of-water maintenance or in-water cleaning. For this question, **out-of-water** maintenance includes the shipbuilding process.

- If Yes was selected, list the date of the most recent propeller polishing.

Question 8: Check the appropriate box to indicate whether the anchor and anchor chains are rinsed during retrieval.

Attachment 7
Vessel Discharge Reporting Forms.

Voyage Information

Question 9a: Over the past four months, list the average speed (knots) at which this vessel has traveled.

Question 9b: Over the past four months, list the average length of time (either hours or days) that this vessel has spent in any given port.

Question 10a: Check the appropriate box to indicate whether this vessel has visited any freshwater ports (specific gravity of less than 1.005) since the hull was last cleaned (either in-water or out-of-water) or since delivery if the hull has never been cleaned.

- If Yes is selected, list the number of times that this vessel visited freshwater ports since the hull was last cleaned or since delivery if the hull has never been cleaned.

Question 10b: Check the appropriate box to indicate whether this vessel has visited any tropical ports between latitudes 23.5° S and 23.5° N since the hull was last cleaned (either in-water or out-of-water) or since delivery if the hull has never been cleaned.

- If Yes is selected, list the number of times that this vessel visited tropical ports since the hull was last cleaned or since delivery if the hull has never been cleaned.

Question 10c: Check the appropriate box to indicate whether this vessel has traversed the Panama Canal since the hull was last cleaned (either in-water or out-of-water) or since delivery if the hull has never been cleaned.

- If Yes is selected, list the number of times that this vessel has traversed the Panama Canal since the hull was last cleaned or since delivery if the hull has never been cleaned.

Question 10d: Starting with the most recent port, list the last 10 ports visited by this vessel. Provide information on the port or place, country, and the dates of arrival and departure.

If this vessel follows a regular route, visiting the same ports routinely, place a check in the box provided and list the information for the most recently completed route. You do not have to use all ten spaces if the regular route involves less than 10 ports. Add more lines if the regular route involves more than ten ports.

List all dates as Day/Month/Year.

Question 11: Check the appropriate box to indicate whether this vessel has spent 10 or more consecutive days in any single location since the last time the hull was cleaned (either in-water or out of water) or since delivery if the hull has never been cleaned. Do not include time spent out-of-water or time spent during in-water cleaning.

Attachment 7
Vessel Discharge Reporting Forms

- If No is selected, enter the information for the single longest amount of time this vessel has spent in a single location since the last hull cleaning or since delivery if the hull has never been cleaned.
- If Yes is selected, list all of the occurrences where the vessel spent 10 or more consecutive days in any single location since the last hull cleaning or since delivery if the hull has never been cleaned.

Authority: Public Resources Code Sections 71201 and 71204.6

Reference: Public Resources Code Sections 71205(e) and 71205(f)

Attachment 7
Vessel Discharge Reporting Forms

7.4 – BALLAST WATER REPORTING FORM

IS THIS AN AMENDED BALLAST REPORTING FORM? YES ☐ NO ☐

1. VESSEL INFORMATION
CAPACITY

Vessel Name:	Arrival Port:	Specify Units Below (m ³ , MT, LT, ST)	
IMO Number:	Arrival Date (DD/MM/YYYY):	Total Ballast Water on Board:	
Owner:	Agent:	Volume	Units m3
Type:	Last Port:	Total Ballast Water Capacity:	
GT:	Country of Last Port:	Volume	Units m3
Call Sign:	Country of Next Port:	Total No. of Tanks on Ship	
Flag:			

3. BALLAST WATER USAGE AND

4. BALLAST WATER MANAGEMENT

Total No. Ballast Water Tanks to be discharged: ☐

Of tanks to be discharged, how many: Underwent Exchange: ☐

Underwent Alternative Management: ☐

Please specify alternative method(s) used, if any: _____

If no ballast treatment conducted, state reason why not: _____

Ballast management plan on board? YES ☐ NO ☐

Management plan implemented? YES ☐ NO ☐

IMO ballast water guidelines on board [res. A.868(20)]? YES ☐ NO ☐

5. BALLAST WATER HISTORY: Record all tanks to be deballasted in port state of arrival (enter additional tanks on page 2). IF NONE, GO TO #6

Tanks/ Holds List multiple sources/tanks separately	BW SOURCE				BW EXCHANGE							BW DISCHARGE			
	DATE DD/MM/YY	PORT or LAT. LONG.	VOLUME (units)	TEMP (units)	DATE DD/MM/YY	ENDPOINT LAT. LONG.	VOLUME (units)	% Exch	METHOD (ER/FT/ ALT)	SEA HT. (m)	DATE DD/MM/YY	PORT or LAT. LONG.	VOLUME (units)	SALINITY (units)	
			m3	C			m3		ER				m3	sg	

Attachment 7
Vessel Discharge Reporting Forms

Tanks/ Holds List multiple sources/tanks separately	BW SOURCE				BW EXCHANGE					BW DISCHARGE				
	DATE DD/MM/YY	PORT or LAT. LONG.	VOLUME (units)	TEMP (units)	DATE DD/MM/YY	ENDPOINT LAT. LONG.	VOLUME (units)	% Exch	METHOD (ER/FT/ ALT)	SEA HT. (m)	DATE DD/MM/YY	PORT or LAT. LONG.	VOLUME (units)	SALINITY (units)
			m3	C			m3		ER				m3	sg
			m3	C			m3		ER				m3	sg
			m3	C			m3		ER				m3	sg
			m3	C			m3		ER				m3	sg

Ballast Water Tank Codes: Forepeak = FP, Aftpeak = AP, Double Bottom = DB, Wing = WT, Topside = TS, Cargo Hold = CH, Other = O

6. RESPONSIBLE OFFICER'S NAME AND TITLE: _____

Tanks/ Holds List multiple sources/tanks separately	BW SOURCE				BW EXCHANGE					BW DISCHARGE				
	DATE DD/MM/YY	PORT or LAT. LONG.	VOLUME (units)	TEMP (units)	DATE DD/MM/YY	ENDPOINT LAT. LONG.	VOLUME (units)	% Exch	METHOD (ER/FT/ ALT)	SEA HT. (m)	DATE DD/MM/YY	PORT or LAT. LONG.	VOLUME (units)	SALINITY (units)
			m3	C			m3		ER				m3	sg
			m3	C			m3		ER				m3	sg
			m3	C			m3		ER				m3	sg
			m3	C			m3		ER				m3	sg
			m3	C			m3		ER				m3	sg